



Vee™ Block Proposal			
Code	Dimensions	Count	Key
B1-1830	1830 x 610 x 610 x 1.6t	437	
B1-1525	1525 x 610 x 610 x 1.33t	20	
B1-1220	1220 x 610 x 610 x 1.07t	51	
B1-915	915 x 610 x 610 x 0.8t	17	
B1-610	610 x 610 x 610 x 0.53t	15	
B2-1830	1830 x 610 x 610 x 1.6t	17	
B2-1525	1525 x 610 x 610 x 1.33t	7	
B2-1220	1220 x 610 x 610 x 1.07t	9	
B2-915	915 x 610 x 610 x 0.8t	10	
B2-610	610 x 610 x 610 x 0.53t	13	
C1-1525	1525 x 610 x 610 x 1.33t	12	
C2-1525	1525 x 610 x 610 x 1.33t	12	
T2-1525	1525 x 610 x 610 x 1.33t	2	
K1-1220	1220 x 610 x 610 x 1.07t	84	
HB-1830	1830 x 610 x 305 x 0.8t	26	
HB-1525	1525 x 610 x 305 x 0.67t	5	
HB-1220	1220 x 610 x 305 x 0.53t	2	
HB-915	915 x 610 x 305 x 0.4t	1	
HB-610	610 x 610 x 305 x 0.27t	2	

Detail of Doorway Opening A



Detail of Doorway Opening B



Its should be noted that this drawing has been provided as per the clients requirements, and **NO** structural calculations have been carried out. The client should satisfy themselves that the walls are fit for their intended use and that the slabs / ground are capable of safely carrying the loads from the walls.


The retained material should be allowed to naturally fall against the wall as it is stacked. **DO NOT** allow the retained material to stand up on its own as this could lead to a catastrophic failure of the material and the wall.

The wall has not been designed to withstand the impact of the retained material suddenly falling against the wall due to incorrect loading.

Wall(s) have **NOT** been designed for either retained material to be compacted by vehicle(s) driving over or on top of the retained material, or by direct impact of the loading vehicle(s).

(A reinforced concrete slab is required when the underlying ground has insufficient bearing capacity or significant settlement is anticipated).

The interlocking blocks are colour coded to help identify the different blocks that are typically used in a design, and are not representative of the actual colour of the blocks.



* Note : All half blocks are flat top only
All Dowelled in to aid with overall structural integrity.

