## 1. Handling

Unit Volume / Weight

600 x 600 x 350 Base Sleeper Unit Ref:

Volume: 0.074 m<sup>3</sup> Weight: 174 kg

Weight is based on 2,350 kg/m3

Lifting system is by means of the 2 no. ø35mm holes located in the sides of the base sleeper.

### **IMPORTANT NOTE:**

Prior to lifting older / pre-used blocks, check the lifting holes for wear / corrosion and check the block for cracks. If the block is cracked or the hole is worn / damaged, it could fail when lifting.

## 2. Concrete

Characteristic 28 day cube strength = 50 N/mm² min. Concrete is Class A1 Fire Resistant in accordance with clause 4.3.4.4 of EN 13369

#### 3. Manufacture

Manufactured to: BS EN 13369: 2013 BS EN 13670: 2009 Tolerances to:

### 4. Physical & Chemical Properties

Appearance: Grey in Colour


Other Chemical Properties: Not Applicable

## 5. Design

Design Life: >100 years

# 6. Manufacture Tolerances

±5mm Length Width ±5mm Height ±5mm



0	30.10.13	First Issue.	СТС	RMD	_
REV	DATE	REASON FOR ISSUE	DRN	APP	ľ

TITLE 600mm x 600mm x 350mm Base Sleeper

ELITE PRECAST CONCRETE LTD HALESFIELD 9, TELFORD SHROPSHIRE TF7 4QW www.eliteprecast.co.uk

Elite Product Code:



CHKD RMD DATE

30-10-13

SIZE A4 SCALE 1:12

DRG EPC-BSP-001